


# POWER **BLITZZ** POWERing TOOLS

## Industrial & Professional Power Tools



# INDEX

|                            |       |
|----------------------------|-------|
| <b>CORDLESS TOOL</b> ..... | 01-07 |
| <b>DRILL</b> .....         | 08-09 |
| <b>HAMMER</b> .....        | 10-12 |
| <b>GRINDER</b> .....       | 13-17 |
| <b>CUTTER</b> .....        | 18-26 |
| <b>POLISHER</b> .....      | 27    |
| <b>BLOWER</b> .....        | 28    |
| <b>HOT AIR GUN</b> .....   | 29    |
| <b>SANDER</b> .....        | 30    |
| <b>MIXER</b> .....         | 31    |
| <b>COMPRESSOR</b> .....    | 32-38 |
| <b>ARMATURE</b> .....      | 39-40 |
| <b>CARBON BRUSH</b> .....  | 41    |



# BT-CD12

## CORDLESS DRILL



### Specification

|               |                 |
|---------------|-----------------|
| Voltage       | 12V             |
| No Load Speed | 0-350/1500r/min |
| Chuck size    | 10mm            |
| Battery       | 2pcs            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 13.5/14.5kgs  |
| Carton           | 485x350x230mm |



# BT-CD18AT

## CORDLESS DRILL



### Specification

|               |                 |
|---------------|-----------------|
| Voltage       | 18V             |
| No Load Speed | 0-350/1250r/min |
| Chuck size    | 10mm            |
| Battery       | 2pcs            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 27/28kgs      |
| Carton           | 460x300x635mm |



**POWER**  
**BLITZZ**  
POWERing TOOLS

## BT-CD21AT

### CORDLESS DRILL



#### Specification

|               |                 |
|---------------|-----------------|
| Voltage       | 21V             |
| No Load Speed | 0-350/1250r/min |
| Chuck size    | 10mm            |
| Battery       | 2pcs×2.0Ah      |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 27/28kgs      |
| Carton           | 460x300x635mm |

**POWER**  
**BLITZZ**  
POWERing TOOLS

## BT-ID21AT

### CORDLESS IMPACT DRILL



#### Specification

|               |                 |
|---------------|-----------------|
| Voltage       | 21V             |
| No Load Speed | 0-350/1250r/min |
| Chuck size    | 10mm            |
| Battery       | 2pcs×2.0Ah      |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 27/28kgs      |
| Carton           | 460x300x635mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

# BT-CW21

CORDLESS IMPACT WRENCH



## Specification

|                  |                    |
|------------------|--------------------|
| Voltage          | 21V                |
| No Load Speed    | 0-2500r/min        |
| Standard bolt    | M6-M16   1/4"-5/8" |
| Battery          | 2pcs×4.0Ah         |
| Maximum torque   | 350N.M             |
| Impact frequency | 0-3200bpm          |
| Drive            | 1/2"               |

## Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 4PCS          |
| Net/Gross weight | 15/16kgs      |
| Carton           | 452x365x310mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

# BT-CRH21

CORDLESS ROTARY HAMMER



## Specification

|                            |            |
|----------------------------|------------|
| Voltage                    | 21V        |
| No Load Speed              | 0-960min   |
| Chuck size                 | 20mm       |
| Battery                    | 2pcs×4.0Ah |
| Max Bore diameter Concrete | 20mm       |
| Max Bore diameter Steel    | 12mm       |
| Max Bore diameter Wood     | 28mm       |

## Packing

|                |               |
|----------------|---------------|
| Pcs/Ctn        | 4PCS          |
| Net/Net weight | 20/21kgs      |
| Carton         | 350x430x500mm |



# BT-CPW21

## CORDLESS PRESSURE WASHER



### Specification

|             |            |
|-------------|------------|
| Voltage     | 21V        |
| Input Power | 140W       |
| Water flow  | 4.5-5L/min |
| Battery     | 2pcs×2.0A  |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 5PCS          |
| Net/Gross weight | 12/13.5kg     |
| Carton           | 670×360×300mm |



# BT-DM10

## ELECTRIC DRILL



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 450W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 0-3000r/min      |
| Chuck size        | 10mm             |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 16/17kg       |
| Carton           | 580×430×270mm |



**BT-DB13**  
 IMPACT DRILL



**Specification**

|                   |                  |
|-------------------|------------------|
| Input Power       | 680W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 0-3000r/min      |
| Chuck size        | 13mm             |

**Packing**

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 20/21kg       |
| Carton           | 580x430x270mm |

**BT-DB26**  
 ROTARY HAMMER



**Specification**

|                   |                  |
|-------------------|------------------|
| Input Power       | 800W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 0-1300r/min      |
| Chuck size        | 26mm             |

**Packing**

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 5PCS          |
| Net/Gross weight | 26/27kg       |
| Carton           | 545x445x335mm |

Drill

HAMMER

# BT-DHM5

DEMOLITION HAMMER 5KGS



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 900W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 2900r/min        |
| Chuck size        | 17mm             |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 2PCS          |
| Net/Gross weight | 16/17kgs      |
| Carton           | 510x235x340mm |

# BT-DHH16

DEMOLITION HAMMER 16KGS



### Specification

|                   |                        |
|-------------------|------------------------|
| Input Power       | 1400W                  |
| Voltage/Frequency | 220/240V~50/60Hz       |
| No Load Speed     | 1850/min <sup>-1</sup> |
| Joule             | 45J                    |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 1PC           |
| Net/Gross weight | 13.5/21kgs    |
| Carton           | 710x170x290mm |



# BT-GD100

## ANGLE GRINDER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 850W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 11000r/min       |
| Disc size         | 100mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 18/19kgs      |
| Carton           | 605x445x345mm |

# BT-GD115

## ANGLE GRINDER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 850W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 11000r/min       |
| Disc size         | 115mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 20/21kgs      |
| Carton           | 605x445x345mm |

# BT-GM115

## ANGLE GRINDER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 710W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 11000r/min       |
| Disc size         | 115mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 20/21kgs      |
| Carton           | 605x445x345mm |

# BT-GH125

## ANGLE GRINDER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1000W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 11000r/min       |
| Disc size         | 125mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 6PCS          |
| Net/Gross weight | 16/17kg       |
| Carton           | 445x320x260mm |

# BT-GM230

## ANGLE GRINDER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 2200W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 6500r/min        |
| Disc size         | 230mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 4PCS          |
| Net/Gross weight | 25.5/26.5kgs  |
| Carton           | 589x390x255mm |

# BT-MCH4

## MARBLE CUTTER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1300W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 11000r/min       |
| Disc size         | 110mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 6PCS          |
| Net/Gross weight | 20/21kgs      |
| Carton           | 665x230x370mm |



**POWER**  
**BLITZZ**  
 POWERing TOOLS

## BT-CSM7

### CIRCULAR SAW



#### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1200W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 5000r/min        |
| Disc size         | 185mm            |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 4PCS          |
| Net/Gross weight | 16/17kgs      |
| Carton           | 500x300x400mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

## BT-CSM9

### CIRCULAR SAW



#### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 2000W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 4100r/min        |
| Disc size         | 235mm            |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 2PCS          |
| Net/Gross weight | 14/15kgs      |
| Carton           | 560x390x230mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

## BT-JSB65

### JIG SAW



#### Specification

|                       |                  |
|-----------------------|------------------|
| Input Power           | 400W             |
| Voltage/Frequency     | 220/240V~50/60Hz |
| No Load Speed         | 0-3000r/min      |
| Max Cutting Wood      | 65mm             |
| Max Cutting Aluminium | 12mm             |
| Max Cutting Steel     | 3mm              |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 18/20kg       |
| Carton           | 560x430x240mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

## BT-JSM85

### JIG SAW



#### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 550W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 0-3000r/min      |
| Max Cutting Wood  | 85mm             |
| Max Cutting Steel | 5mm              |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 5PCS          |
| Net/Gross weight | 13/17kg       |
| Carton           | 470x370x280mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

## BT-RM6

### ELECTRIC TRIMMER



#### Specification

|                       |                  |
|-----------------------|------------------|
| Input Power           | 500W             |
| Voltage/Frequency     | 220/240V~50/60Hz |
| No Load Speed         | 26000r/min       |
| Collet Chuck Capacity | 6.35mm-1/4"      |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 17/19kg       |
| Carton           | 600x245x270mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

## BT-RM12

### ELECTRIC TRIMMER



#### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1600W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 0-26000r/min     |
| Cutting Depth     | 12.7mm-1/2"      |

#### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 4PCS          |
| Net/Gross weight | 22/24kg       |
| Carton           | 600x425x260mm |



**POWER**  
**BLITZZ**  
 POWERing TOOLS

# BT-MSM10

## MITER SAW



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1850W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 4600r/min        |
| Disc size         | 255mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 1PC           |
| Net/Gross weight | 11/13kg       |
| Carton           | 510x440x400mm |

**POWER**  
**BLITZZ**  
 POWERing TOOLS

# BT-COL14

## CUT OFF SAW



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 2600W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 3800r/min        |
| Disc size         | 355mm            |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 1PC           |
| Net/Gross weight | 16/17kg       |
| Carton           | 560x340x430mm |

POLISHER

**BT-EPM7**  
 ELECTRIC POLISHER



**Specification**

|                   |                  |
|-------------------|------------------|
| Input Power       | 1200W            |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 0-3000r/min      |
| Disc Diameter     | 180mm            |

**Packing**

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 4PCS          |
| Net/Gross weight | 13/14kg       |
| Carton           | 470x300x320mm |

BLOWER

**BT-BL500**  
 AIR BLOWER



**Specification**

|                   |                        |
|-------------------|------------------------|
| Input Power       | 500W                   |
| Voltage/Frequency | 220/240V~50/60Hz       |
| No Load Speed     | 13000r/min             |
| Blowing Rate      | 2.8m <sup>3</sup> /min |

**Packing**

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 6PCS          |
| Net/Gross weight | 11/12kg       |
| Carton           | 600x340x440mm |

# BT-HG1600

## HOT AIR GUN



### Specification

|                   |                        |
|-------------------|------------------------|
| Input Power       | 1600W                  |
| Voltage/Frequency | 220/240V~50/60Hz       |
| No Load Speed     | 16500r/min             |
| Air Temperature   | Min50°C Max500°C       |
| Air Output        | I:250L/MIN II:500L/MIN |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 20PCS         |
| Net/Gross weight | 14/15kgs      |
| Carton           | 540x400x475mm |

# BT-OSM185

## ORBITAL SANDER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 450W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 10000r/min       |
| Size of Cushion   | 93x185 mm        |


### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 10PCS         |
| Net/Gross weight | 15.8/17.8kg   |
| Carton           | 550x300x340mm |



# BT-PM160

## ELECTRIC MIXER



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 800W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed     | 680r/min         |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 5PCS          |
| Net/Gross weight | 19.5/20.5kg   |
| Carton           | 620x350x340mm |

# BT-AC25

## AIR COMPRESSOR



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1400W(1.85HP)    |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 25L              |
| Pressure          | 8bar             |
| No Load Speed     | 2850r/min        |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 1PC           |
| Net/Gross weight | 16.5/17.5kg   |
| Carton           | 550x250x530mm |

# BT-AC50

## AIR COMPRESSOR



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 1800W(2.5HP)     |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 50L              |
| Pressure          | 8bar             |
| No Load Speed     | 2850r/min        |

### Packing

|                  |               |
|------------------|---------------|
| Pcs/Ctn          | 1PC           |
| Net/Gross weight | 26.6/28.6kg   |
| Carton           | 665x320x655mm |

# BT-AC100

## AIR COMPRESSOR



### Specification


|                   |                  |
|-------------------|------------------|
| Input Power       | 2200W(3HP)       |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 100L             |
| Pressure          | 8bar             |
| No Load Speed     | 1080r/min        |

### Packing

|            |                |
|------------|----------------|
| Pcs/Ctn    | 1PC            |
| Net weight | 78kg           |
| Carton     | 1135x395x775mm |

# BT-AC200

## AIR COMPRESSOR



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 2200W(3HP)       |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 200L             |
| Pressure          | 8bar             |
| No Load Speed     | 1080r/min        |

### Packing

|            |                |
|------------|----------------|
| Pcs/Ctn    | 1PC            |
| Net weight | 85kg           |
| Carton     | 1320x530x960mm |

# BT-SAC25

## AIR COMPRESSOR



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 550W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 25L              |
| Pressure          | 8bar             |
| No Load Speed     | 1380r/min        |

### Packing

|            |               |
|------------|---------------|
| Pcs/Ctn    | 1PC           |
| Net weight | 18kg          |
| Carton     | 580x240x510mm |



# BT-SAC50

## AIR COMPRESSOR



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 550W             |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 50L              |
| Pressure          | 8bar             |
| No Load Speed     | 1380r/min        |

### Packing

|            |               |
|------------|---------------|
| Pcs/Ctn    | 1PC           |
| Net weight | 22kg          |
| Carton     | 660x300x580mm |

# BT-SAC100

## AIR COMPRESSOR



### Specification

|                   |                  |
|-------------------|------------------|
| Input Power       | 750Wx3           |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank              | 100L             |
| Pressure          | 8bar             |
| No Load Speed     | 1380r/min        |

### Packing

|            |                |
|------------|----------------|
| Pcs/Ctn    | 1PC            |
| Net weight | 67kg           |
| Carton     | 1150x400x660mm |

# ARMATURE



PBA 9554

PBA 9556

PBA 9020

PBA 9067



PBA 9227

PBA 3709

PBA 3612

PBA 5900(235)



PBA 5900(7T)

PBA 5704

PBA7600

PBA4304



PBA 1040

PBA 6413

PBA 2450

PBA 0810

# ARMATURE



PBA 8-125

PBA 20-180

PBA 24-180

PBA13RE



PBA 2-26

PBA GST65E

PBA 4SB

PBA PH65A




PBA 18SE2

PBA 801

PBA160M

# Carbon Brush




CB-204



BK45




BK20/DW801



CB-325




GWS20-180



999044/PH65A



CB-153



CB-155



CB-64



CB-100



CB-419



CB-303