


POWER BLITZZ

Industrial & Professional Power Tools

POWER BLITZZ



INDEX

| | |
|----------------------------|-------|
| CORDLESS TOOL | 01-08 |
| DRILL | 09-10 |
| HAMMER | 11-13 |
| GRINDER | 14-18 |
| CUTTER | 19-29 |
| POLISHER | 30 |
| BLOWER | 31 |
| HOT AIR GUN | 32 |
| SANDER | 33 |
| MIXER | 34 |
| VIBRATOR | 35 |
| COMPRESSOR | 36-42 |
| ARMATURE | 43-44 |
| CARBON BRUSH | 45 |

POWER BLITZZ

BT-CD12 CORDLESS DRILL



Specification

| | |
|---------------|-----------------|
| Voltage | 12V |
| No Load Speed | 0-350/1500r/min |
| Chuck size | 10mm |
| Battery | 2pcs |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 13.5/14.5kgs |
| Carton | 485x350x230mm |

POWER BLITZZ

BT-CD18AT CORDLESS DRILL



Specification

| | |
|---------------|-----------------|
| Voltage | 18V |
| No Load Speed | 0-350/1250r/min |
| Chuck size | 10mm |
| Battery | 2pcs |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 27/28kgs |
| Carton | 460x300x635mm |

POWER BLITZZ

BT-CD21AT CORDLESS DRILL



Specification

| | |
|---------------|-----------------|
| Voltage | 21V |
| No Load Speed | 0-350/1250r/min |
| Chuck size | 10mm |
| Battery | 2pcs×2.0Ah |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 27/28kgs |
| Carton | 460x300x635mm |

POWER BLITZZ

BT-ID21AT CORDLESS IMPACT DRILL



Specification

| | |
|---------------|-----------------|
| Voltage | 21V |
| No Load Speed | 0-350/1250r/min |
| Chuck size | 10mm |
| Battery | 2pcs×2.0Ah |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 27/28kgs |
| Carton | 460x300x635mm |

POWER
BLITZZ

BT-CW21

CORDLESS IMPACT WRENCH



Specification

| | |
|------------------|--------------------|
| Voltage | 21V |
| No Load Speed | 0-2500r/min |
| Standard bolt | M6-M16 1/4"-5/8" |
| Battery | 2pcs×4.0Ah |
| Maximum torque | 350N.M |
| Impact frequency | 0-3200bpm |
| Drive | 1/2" |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 4PCS |
| Net/Gross weight | 15/16kgs |
| Carton | 452×365×310mm |

POWER
BLITZZ

BT-CRH21

CORDLESS ROTARY HAMMER



Specification

| | |
|----------------------------|------------|
| Voltage | 21V |
| No Load Speed | 0-960min |
| Chuck size | 20mm |
| Battery | 2pcs×4.0Ah |
| Max Bore diameter Concrete | 20mm |
| Max Bore diameter Steel | 12mm |
| Max Bore diameter Wood | 28mm |

Packing

| | |
|----------------|---------------|
| Pcs/Ctn | 4PCS |
| Net/Net weight | 20/21kgs |
| Carton | 350×430×500mm |

POWER BLITZZ

BT-CPW21 CORDLESS PRESSURE WASHER



Specification

| | |
|-------------|------------|
| Voltage | 21V |
| Input Power | 140W |
| Water flow | 4.5-5L/min |
| Battery | 2pcs |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 5PCS |
| Net/Gross weight | 12/13.5kg |
| Carton | 670x360x300mm |

POWER BLITZZ

BT-CPW21A CORDLESS PRESSURE WASHER



Specification

| | |
|------------------|----------|
| Voltage | 21V |
| Working pressure | 320PSI |
| Working flow | 3.8L/min |
| Battery | 2pcs |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 5PCS |
| Net/Gross weight | 13/14kg |
| Carton | 365x560x280mm |

BT-DM10
ELECTRIC DRILL



Specification

| | |
|-------------------|------------------|
| Input Power | 450W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-3000r/min |
| Chuck size | 10mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 16/17kg |
| Carton | 580x430x270mm |

BT-DB13
IMPACT DRILL



Specification

| | |
|-------------------|------------------|
| Input Power | 680W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-3000r/min |
| Chuck size | 13mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 20/21kg |
| Carton | 580x430x270mm |

POWER BLITZZ

BT-DB26 ROTARY HAMMER



Specification

| | |
|-------------------|------------------|
| Input Power | 800W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-1300r/min |
| Chuck size | 26mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 5PCS |
| Net/Gross weight | 26/27kg |
| Carton | 545x445x335mm |

POWER BLITZZ

BT-DHM5 DEMOLITION HAMMER 5KGS



Specification

| | |
|-------------------|------------------|
| Input Power | 900W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 2900r/min |
| Chuck size | 17mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 2PCS |
| Net/Gross weight | 16/17kgs |
| Carton | 510x235x340mm |

BT-DHH16

DEMOLITION HAMMER 16KGS



Specification

| | |
|-------------------|------------------------|
| Input Power | 1400W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 1850/min ⁻¹ |
| Joule | 45J |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PC |
| Net/Gross weight | 13.5/21kgs |
| Carton | 710x170x290mm |

BT-GD100

ANGLE GRINDER



Specification

| | |
|-------------------|------------------|
| Input Power | 850W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 11000r/min |
| Disc size | 100mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 18/19kgs |
| Carton | 605x445x345mm |

BT-GD115
ANGLE GRINDER



Specification

| | |
|-------------------|------------------|
| Input Power | 850W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 11000r/min |
| Disc size | 115mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 20/21kgs |
| Carton | 605x445x345mm |

BT-GM115
ANGLE GRINDER



Specification

| | |
|-------------------|------------------|
| Input Power | 710W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 11000r/min |
| Disc size | 115mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 20/21kgs |
| Carton | 605x445x345mm |

BT-GH125

ANGLE GRINDER



Specification

| | |
|-------------------|------------------|
| Input Power | 1000W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 11000r/min |
| Disc size | 125mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 6PCS |
| Net/Gross weight | 16/17kg |
| Carton | 445x320x260mm |

BT-GM230

ANGLE GRINDER



Specification

| | |
|-------------------|------------------|
| Input Power | 2200W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 6500r/min |
| Disc size | 230mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 4PCS |
| Net/Gross weight | 25.5/26.5kgs |
| Carton | 589x390x255mm |

POWER
BLITZZ

BT-MCH4

MARBLE CUTTER



Specification

| | |
|-------------------|------------------|
| Input Power | 1300W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 11000r/min |
| Disc size | 110mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 6PCS |
| Net/Gross weight | 20/21kgs |
| Carton | 665x230x370mm |

POWER
BLITZZ

BT-CSM7

CIRCULAR SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 1200W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 5000r/min |
| Disc size | 185mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 4PCS |
| Net/Gross weight | 16/17kgs |
| Carton | 500x300x400mm |

POWER
BLITZZ

BT-CSM9

CIRCULAR SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 2000W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 4100r/min |
| Disc size | 235mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 2PCS |
| Net/Gross weight | 14/15kgs |
| Carton | 560x390x230mm |

POWER
BLITZZ

BT-JSB65

JIG SAW



Specification

| | |
|-----------------------|------------------|
| Input Power | 400W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-3000r/min |
| Max Cutting Wood | 65mm |
| Max Cutting Aluminium | 12mm |
| Max Cutting Steel | 3mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 18/20kg |
| Carton | 560x430x240mm |

POWER
BLITZZ

BT-JSM85

JIG SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 550W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-3000r/min |
| Max Cutting Wood | 85mm |
| Max Cutting Steel | 5mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 5PCS |
| Net/Gross weight | 13/17kg |
| Carton | 470x370x280mm |

POWER
BLITZZ

BT-RM6

ELECTRIC TRIMMER



Specification

| | |
|-----------------------|------------------|
| Input Power | 500W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 26000r/min |
| Collet Chuck Capacity | 6.35mm-1/4" |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 17/19kg |
| Carton | 600x245x270mm |

POWER
BLITZZ

BT-RM12

ELECTRIC TRIMMER



Specification

| | |
|-------------------|------------------|
| Input Power | 1600W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-26000r/min |
| Cutting Depth | 12.7mm-1/2' |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 4PCS |
| Net/Gross weight | 22/24kg |
| Carton | 600x425x260mm |

POWER
BLITZZ

BT-MSM10

MITER SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 1850W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 4600r/min |
| Disc size | 255mm |


Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PC |
| Net/Gross weight | 11/13kg |
| Carton | 510x440x400mm |

POWER
BLITZZ

BT-MSB10

MITER SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 1800W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 5500r/min |
| Disc size | 255mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PC |
| Net/Gross weight | 8.5/10kg |
| Carton | 515x370x385mm |

POWER
BLITZZ

BT-COL14

CUT OFF SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 2600W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 3800r/min |
| Disc size | 355mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PC |
| Net/Gross weight | 16/17kg |
| Carton | 560x340x430mm |

POWER
BLITZZ

BT-COB14

CUT OFF SAW



Specification

| | |
|-------------------|------------------|
| Input Power | 2200W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 3900r/min |
| Disc size | 355mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PC |
| Net/Gross weight | 10.5/12.5kg |
| Carton | 530x300x380mm |

POWER
BLITZZ

BT-EPM7

ELECTRIC POLISHER



Specification

| | |
|-------------------|------------------|
| Input Power | 1200W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 0-3000r/min |
| Disc Diameter | 180mm |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 4PCS |
| Net/Gross weight | 13/14kg |
| Carton | 470x300x320mm |

BT-BL500

AIR BLOWER



Specification

| | |
|-------------------|------------------|
| Input Power | 500W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 13000r/min |
| Blowing Rate | 2.8m³/min |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 6PCS |
| Net/Gross weight | 11/12kg |
| Carton | 600x340x440mm |

BT-HG1600

HOT AIR GUN



Specification

| | |
|-------------------|------------------------|
| Input Power | 1600W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 16500r/min |
| Air Temperature | Min50°C Max500°C |
| Air Output | I:250L/MIN II:500L/MIN |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 20PCS |
| Net/Gross weight | 14/15kgs |
| Carton | 540x400x475mm |

POWER
BLITZZ

BT-OSM185

ORBITAL SANDER



Specification

| | |
|-------------------|------------------|
| Input Power | 450W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 10000r/min |
| Size of Cushion | 93x185 mm |


Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 10PCS |
| Net/Gross weight | 15.8/17.8kg |
| Carton | 550x300x340mm |

POWER
BLITZZ

BT-PM160

ELECTRIC MIXER



Specification


| | |
|-------------------|------------------|
| Input Power | 800W |
| Voltage/Frequency | 220/240V~50/60Hz |
| No Load Speed | 680r/min |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 5PCS |
| Net/Gross weight | 19.5/20.5kg |
| Carton | 620x350x340mm |

BT-VB850

CONCRETE VIBRATOR



Specification

| | |
|-------------------|------------------|
| Input Power | 850W |
| Voltage/Frequency | 220/240V~50/60Hz |

Packing

| | |
|---------------|---------------|
| No Load Speed | 4000r/min |
| Shaft Size | 35mm x 1.5mtr |

BT-AC25

AIR COMPRESSOR



Specification

| | |
|-------------------|------------------|
| Input Power | 1400W(1.85HP) |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 25L |
| Pressure | 8bar |
| No Load Speed | 2850r/min |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PC |
| Net/Gross weight | 16.5/17.5kg |
| Carton | 550x250x530mm |

BT-AC50 AIR COMPRESSOR



Specification

| | |
|-------------------|------------------|
| Input Power | 1800W(2.5HP) |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 50L |
| Pressure | 8bar |
| No Load Speed | 2850r/min |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PCS |
| Net/Gross weight | 26.6/28.6kg |
| Carton | 665x320x655mm |

BT-AC100 AIR COMPRESSOR




Specification

| | |
|-------------------|------------------|
| Input Power | 2200W(3HP) |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 100L |
| Pressure | 8bar |
| No Load Speed | 1080r/min |

Packing

| | |
|------------|----------------|
| Pcs/Ctn | 1PCS |
| Net weight | 78kg |
| Carton | 1135x395x775mm |

BT-AC200 AIR COMPRESSOR



Specification

| | |
|-------------------|------------------|
| Input Power | 2200W(3HP) |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 200L |
| Pressure | 8bar |
| No Load Speed | 1080r/min |

Packing

| | |
|------------------|----------------|
| Pcs/Ctn | 1PCS |
| Net/Gross weight | 85kg |
| Carton | 1320x530x960mm |

BT-SAC25 AIR COMPRESSOR



Specification

| | |
|-------------------|------------------|
| Input Power | 550W |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 25L |
| Pressure | 8bar |
| No Load Speed | 1380r/min |

Packing

| | |
|------------|---------------|
| Pcs/Ctn | 1PCS |
| Net weight | 18kg |
| Carton | 580x240x510mm |

BT-SAC50 AIR COMPRESSOR




Specification

| | |
|-------------------|------------------|
| Input Power | 550W |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 50L |
| Pressure | 8bar |
| No Load Speed | 1380r/min |

Packing

| | |
|------------------|---------------|
| Pcs/Ctn | 1PCS |
| Net/Gross weight | 22kg |
| Carton | 660x300x580mm |

BT-SAC100 AIR COMPRESSOR



Specification

| | |
|-------------------|------------------|
| Input Power | 750Wx3 |
| Voltage/Frequency | 220/240V~50/60Hz |
| Tank | 100L |
| Pressure | 8bar |
| No Load Speed | 1380r/min |

Packing

| | |
|------------|----------------|
| Pcs/Ctn | 1PCS |
| Net weight | 67kg |
| Carton | 1150x400x660mm |

ARMATURE



PBA 9554




PBA 9556



PBA 9020



PBA 9067



PBA 9227



PBA 3709



PBA 3612



PBA 5900(235)



PBA 5900(7T)



PBA 5704



PBA7600



PBA4304



PBA 1040



PBA 6413



PBA 2450



PBA 0810

ARMATURE



PBA 8-125



PBA 20-180



PBA 24-180



PBA13RE



PBA 2-26



PBA GST65E



PBA 4SB




PBA PH65A



PBA 18SE2




PBA 801



PBA160M

Carbon Brush




CB-204



BK45




BK20/DW801



CB-325



GWS20-180




999044/PH65A



CB-153




CB-155




CB-64



CB-100



CB-419



CB-303