

POWER BLITZZ

PRODUCT CATALOGUE

Cordless Tools | Drills & Hammers | Angle Grinders
Cutters & Saws | Other Tools | Pressure Washers
Welding Machines | Air Compressors



INDEX

CORDLESS TOOLS

DRILLS & HAMMERS

ANGLE GRINDERS

CUTTERS & SAWS

OTHER TOOLS

PRESSURE WASHERS

WELDING MACHINES

AIR COMPRESSORS


PUMPS

GARDENING TOOLS

GENERATORS

ARMATURES

CARBON BRUSHES



POWER BLITZZ

BT-CD12A CORDLESS DRILL



Specification

Voltage	12V
No Load Speed	0-350/1500r/min
Chuck Size	10mm
Battery	2pc

Packing

Pcs/Ctn	10pc
Net/Gross Weight	0-350/1500r/min
Carton	485×350×230mm
CBM/Carton	0.108m ³

BT-CD18AT CORDLESS DRILL



Specification

Voltage	18V
No Load Speed	0-350/1250r/min
Chuck Size	10mm
Battery	2pc

Packing

Pcs/Ctn	10pc
Net/Gross Weight	27/28kgs
Carton	460x300x635mm
CBM/Carton	0.088m ³

BT-CD21AT CORDLESS DRILL



Specification

Voltage	21V
No Load Speed	0-350/1250r/min
Chuck Size	10mm
Battery	2pc×2.0Ah

Packing

Pcs/Ctn	10pc
Net/Gross Weight	27/28kgs
Carton	460x300x635mm
CBM/Carton	0.088m ³

BT-ID21AT CORDLESS IMPACT DRILL



Specification

Voltage	21V
No Load Speed	0-350/1250r/min
Chuck Size	10mm
Battery	2pc×2.0Ah

Packing

Pcs/Ctn	10pc
Net/Gross Weight	27/28kgs
Carton	460x300x635mm
CBM/Carton	0.088m ³

POWER BLITZZ

BT-CRH21

CORDLESS ROTARY HAMMER



Specification



Voltage	21V
No Load Speed	0-960min
Chuck Size	20mm
Battery	2pc×4.0Ah
Max Bore diameter Concrete	20mm
Max Bore diameter Steel	12mm
Max Bore diameter Wood	28mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	20/21kgs
Carton	350×430×500mm
CBM/Carton	0.075m ³

BT-CIR21

CORDLESS IMPACT WRENCH



Specification



Voltage	21V
No Load Speed	0-2500r/min
Standard bolt	M6-M16 1/4"-5/8"
Battery	2pc×3.0Ah
Maximum torque	350N.M
Impact frequency	0-3200bpm
Drive	1/2"

Packing

Pcs/Ctn	4pc
Net/Gross Weight	15/16kgs
Carton	452×365×310mm
CBM/Carton	0.051m ³

BT-CG115

CORDLESS BRUSHLESS ANGLE GRINDER



Specification




Voltage	21V
Power	850W
Dia	115mm
Battery	2pc

Packing

Pcs/Ctn	4pc
Net/Gross Weight	16/17kgs
Carton	565x410x330mm
CBM/Carton	0.076m ³

CORDLESS TOOLS



POWER BLITZZ

BT-CPW21A

CORDLESS PRESSURE WASHER



Specification



Voltage	21V
Working pressure	320PSI
Working flow	3.8L/min
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	13/14kg
Carton	365×560×280mm
CBM/Carton	0.057m ³

BT-CSB21

CORDLESS SMALL AIR BLOWER



Specification



Voltage	21V
No Load Speed	0-19000r/min
Air Volume	2.6m ³

Packing

Pcs/Ctn	4pc
Net/Gross Weight	8.2/9.2kgs
Carton	380x365x420mm
CBM/Carton	0.058m ³

BT-CBB21

CORDLESS BIG AIR BLOWER



Specification



Voltage	21V
Max Speed	66m/s
Air Flow Capacity	580ft ³ per min
Speed Adjust	3

Packing

Pcs/Ctn	4pc
Net/Gross Weight	18/19kgs
Carton	535x410x585mm
CBM/Carton	0.128m ³

BT-CHG21

CORDLESS HEAT GUN



Specification



Voltage	21V
Temperature	350°C/550°C
Air Flow Volume	100-200L/min
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	14.4/15.4kgs
Carton	460x320x300mm
CBM/Carton	0.044m ³

POWER BLITZZ

BT-CTV21

CORDLESS TILE VIBRATION MACHINE



Specification

Voltage	21V
Vibrating Frequency	3500-8500r/min
Switch	1-12 speeds
Sucker Diameter	123mm
Battery	2pc

Packing

Pcs/Ctn	6pc
Net/Gross Weight	19.5/20.5kgs
Carton	530x420x530mm
CBM/Carton	0.118m ³

BT-CCS21

CORDLESS CHAIN SAW



Specification

Voltage	21V
No Load Speed	4000r/min
Chain Size	6 inch
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	15/16kgs
Carton	600x425x295mm
CBM/Carton	0.075m ³

BT-CPS21

CORDLESS BRUSHLESS PRUNING SHEARS



Specification

Voltage	21V
Max Cutting Size	30mm
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	10/11kgs
Carton	465x340x265mm
CBM/Carton	0.041m ³

BT-CBC21

CORDLESS GRASS TRIMMER



Specification

Voltage	21V
No Load Speed	8000r/min
Blade Size	4inch

Packing

Pcs/Ctn	4pc
Net/Gross Weight	13/14kgs
Carton	900x320x325mm
CBM/Carton	0.092m ³

POWER BLITZZ

BT-DM10 ELECTRIC DRILL



Specification

Input Power	450W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Bit Size	10mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	16/17kgs
Carton	580x430x270mm
CBM/Carton	0.067m ³

BT-DB13 IMPACT DRILL



Specification

Input Power	680W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Bit Size	13mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	20/21kgs
Carton	580x430x270mm
CBM/Carton	0.067m ³

BT-DB26 ROTARY HAMMER



Specification

Input Power	800W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-1300r/min
Bit Size	26mm

Packing

Pcs/Ctn	5pc
Net/Gross Weight	26/27kgs
Carton	545x445x335mm
CBM/Carton	0.081m ³



POWER BLITZZ

BT-DHM7

DEMOLITION HAMMER 7KGS



Specification



Input Power	900W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	2900r/min
Bit Size	17mm

Packing

Pcs/Ctn	2pc
Net/Gross Weight	21/23kgs
Carton	520x265x338mm
CBM/Carton	0.045m ³

BT-DHB11

DEMOLITION HAMMER 10KGS



Specification



Input Power	1500w
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	1000-2250r/min

Packing

Pcs/Ctn	1pc
Net/Gross Weight	14.3/14.8kgs
Carton	630x155x430mm
CBM/Carton	0.042m ³



BT-DHH16

DEMOLITION HAMMER 16KGS



Specification



Input Power	1400W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	1850r/min ⁻¹

Packing

Pcs/Ctn	1pc
Net/Gross Weight	16/17kg
Carton	710x170x290mm
CBM/Carton	0.035m ³

POWER BLITZZ

BT-GD100 ANGLE GRINDER



Specification

Input Power	850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	100mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	18/19kgs
Carton	605x445x345mm
CBM/Carton	0.093m ³

BT-GD115 ANGLE GRINDER



Specification

Input Power	850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	115mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	20/21kgs
Carton	605x445x345mm
CBM/Carton	0.093m ³

BT-GB125 ANGLE GRINDER



Specification

Input Power	900W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	115/125mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	20/24kgs
Carton	650x335x280mm
CBM/Carton	0.061m ³



POWER BLITZZ

BT-GH125 ANGLE GRINDER



Specification

Input Power	1000W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	125mm

Packing

Pcs/Ctn	6pc
Net/Gross Weight	16/17kgs
Carton	445x320x260mm
CBM/Carton	0.037m ³

BT-GM230 ANGLE GRINDER



Specification

Input Power	2200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	6500r/min
Disc Size	230mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	25.5/26.5kgs
Carton	589x390x255mm
CBM/Carton	0.059m ³



POWER BLITZZ

BT-MCH4 MARBLE CUTTER



Specification

Input Power	1300W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	110mm

Packing

Pcs/Ctn	6pc
Net/Gross Weight	20/21kgs
Carton	665x230x370mm
CBM/Carton	0.057m ³

BT-CSM7 CIRCULAR SAW



Specification

Input Power	1200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	5000r/min
Disc Size	185mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	16/17kgs
Carton	500x300x400mm
CBM/Carton	0.06m ³

BT-CSM9 CIRCULAR SAW



Specification

Input Power	2000W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	4100r/min
Chuck Size	235mm

Packing

Pcs/Ctn	2pc
Net/Gross Weight	14/15kgs
Carton	560x390x230mm
CBM/Carton	0.05m ³



POWER BLITZZ

BT-JSB65 JIG SAW



Specification



Input Power	400W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Max Cutting Wood	65mm
Max Cutting Aluminium	12mm
Max Cutting Steel	3mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	18/20kg
Carton	560x430x240mm
CBM/Carton	0.058m ³

BT-JSM85 JIG SAW



Specification



Input Power	550W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Max Cutting Wood	85mm
Max Cutting Steel	5mm

Packing

Pcs/Ctn	5pc
Net/Gross Weight	13/17kgs
Carton	470x370x280mm
CBM/Carton	0.049m ³

BT-RM6 ELECTRIC TRIMMER



Specification



Input Power	500W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	26000r/min
Collet Chuck Capacity	6.35mm-1/4"

Packing

Pcs/Ctn	10pc
Net/Gross Weight	17/19kgs
Carton	600x245x270mm
CBM/Carton	0.04m ³

BT-RM12 ELECTRIC ROUTER



Specification



Input Power	1600W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-26000r/min
Cutting Depth	12.7mm-1/2"

Packing

Pcs/Ctn	4pc
Net/Gross Weight	22/24kgs
Carton	600x425x260mm
CBM/Carton	0.066m ³

POWER BLITZZ

BT-MSM10 MITER SAW



Specification

Input Power	1850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	4600r/min
Disc Size	255mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	11/13kg
Carton	510x440x400mm
CBM/Carton	0.09m ³

BT-MSB10 MITER SAW



Specification

Input Power	1800W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	5500r/min
Disc Size	255mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	8.5/10kgs
Carton	513x370x385mm
CBM/Carton	0.073m ³

BT-COL14 CUT OFF SAW



Specification

Input Power	2600W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	3800r/min
Disc Size	355mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	16/17kgs
Carton	560x340x430mm
CBM/Carton	0.082m ³

BT-COB14 CUT OFF SAW



Specification

Input Power	2200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	3900r/min
Cutting Capacity	355mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	10.5/12.5kg
Carton	530x300x380mm
CBM/Carton	0.06m ³

POWER BLITZZ

BT-EPM7 ELECTRIC POLISHER



Specification

Input Power	1200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Disc Diameter	180mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	13/14kgs
Carton	470x300x320mm
CBM/Carton	0.045m ³

BT-BL500S AIR BLOWER



Specification

Input Power	450W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	13000r/min
Blowing Rate	2.3m ³ /min

Packing

Pcs/Ctn	8pc
Net/Gross Weight	11/12kgs
Carton	460x360x375mm
CBM/Carton	0.062m ³

BT-BL600 AIR BLOWER



Specification

Input Power	600W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	13000r/min
Blowing Rate	2.8m ³ /min

Packing

Pcs/Ctn	6pc
Net/Gross Weight	11/12kgs
Carton	600x340x440mm
CBM/Carton	0.09m ³

BT-HG2000A HOT AIR GUN



Specification


Input Power	2000W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	16500r/min
Air Temperature	Min 50°C Max 500°C
Air Output	235mm

Packing

Pcs/Ctn	20pc
Net/Gross Weight	14/15kgs
Carton	540x400x475mm
CBM/Carton	0.103m ³

POWER BLITZZ

BT-PM160 ELECTRIC MIXER




Specification

Input Power	800W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	680r/min

Packing

Pcs/Ctn	5pc
Net/Gross Weight	19.5/20.5kgs
Carton	620x350x340mm
CBM/Carton	0.074m ³

BT-VB850 CONCRETE VIBRATOR



Specification

Input Power	850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	4000r/min
Shaft Size	35mm x 1.5mtr

Packing

Pcs/Ctn	10
Net/Gross Weight	21/23.3kgs
Carton	425x350x365mm
CBM/Carton	0.054m ³

BT-OSM185 ORBITAL SANDER



Specification

Input Power	450W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	10000r/min
Size of Cushion	93x185mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	15.8/17.8kgs
Carton	550x300x340mm
CBM/Carton	0.056m ³



POWER BLITZZ

BT-PW185 PRESSURE WASHER



Specification

Input Power	1500W
Voltage	220/240V
Frequency	50/60Hz
Theoretical Pressure	100bar
Theoretical Flow	6.5L/min

Packing

Pcs/Ctn	2pcs
Net/Gross Weight	18/20kgs
Carton	420x380x255mm
CBM/Carton	0.041m ³

BT-PW300 (3P) PRESSURE WASHER



Specification

Voltage	380V
Input Power	3000W
Pressure	150bar

Packing

Pcs/Ctn	1pc
Net/Gross Weight	50/53kgs
Carton	770x360x430mm
CBM/Carton	0.119m ³



POWER BLITZZ

BT-MMA200 WELDING MACHINE



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current	20-120A
Max Output Current	120A
No Load Voltage	60V
Diameter of Electrode	1.6-3.2mm
Duty Cycle	120A@30%

Packing

Pcs/Ctn	2pc
Net/Gross Weight	9/10.8kgs
Carton	460x420x305mm
CBM/Carton	0.059m ³

BT- MMT250 WELDING MACHINE MMA / MAG / MIG / TIGLIFT



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current (MMA MIG)	20-140A 20-120A
Max Output Current	140A
No Load Voltage	65V
Diameter of Electrode	1.6-3.2mm
Duty Cycle (MMA MIG)	140A@30% 140A@80%

Packing

Pcs/Ctn	2pcs
Net/Gross Weight	17.6/19.6kgs
Carton	500x450x370mm
CBM/Carton	0.083m ³

BT-MMA300 WELDING MACHINE



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current	20-160A
Max Output Current	160A
No Load Voltage	63V
Diameter of Electrode	1.6-4.0mm
Duty Cycle	160A@60%

Packing

Pcs/Ctn	1pc
Net/Gross Weight	3.9/5.6kgs
Carton	400x250x300mm
CBM/Carton	0.03m ³

BT-MMA400 WELDING MACHINE



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current	20-200A
Max Output Current	200A
No Load Voltage	63V
Diameter of Electrode	1.6-5.0mm
Duty Cycle	200A@60%

Packing

Pcs/Ctn	1pc
Net/Gross Weight	5.6/7.1kgs
Carton	460x270x345mm
CBM/Carton	0.041m ³

POWER BLITZZ

BT-AC25

AIR COMPRESSORS



Specification

Tank	25L w/o belt
Power	2Hp / 1.5Kw
Cylinder	1042
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	17.5kg
CBM/Carton	0.087m ³

BT-AC50

AIR COMPRESSORS



Specification


Tank	50L w/o belt
Power	2Hp / 1.5Kw
Cylinder	1042
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	26kg
CBM/Carton	0.140m ³

BT-AC50Y1

AIR COMPRESSORS



Specification


Tank	50L with belt
Power	1Hp / 0.75Kw
Cylinder	1051
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	26kg
CBM/Carton	0.140m ³

BT-AC50Y2

AIR COMPRESSORS



Specification

Tank	50L with belt
Power	2Hp / 1.5Kw
Cylinder	2051
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	26kg
CBM/Carton	0.140m ³

POWER BLITZZ

BT-AC100 AIR COMPRESSORS




Specification

Tank	100L with belt
Power	3Hp / 2.2Kw
Cylinder	2065
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	38kg
CBM/Carton	0.216m ³

BT-AC100Y AIR COMPRESSORS



Specification

Tank	100L with belt
Power	2Hp / 1.5Kw
Cylinder	2051
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	38kg
CBM/Carton	0.216m ³

BT-AC200 AIR COMPRESSORS




Specification

Tank	200L with belt
Power	3Hp / 2.2Kw
Cylinder	2065
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	85kg
CBM/Carton	0.644m ³

BT-AC200Y AIR COMPRESSORS



Specification

Tank	200L with belt
Power	3Hp / 2.2Kw
Cylinder	2065
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	17.5kg
CBM/Carton	0.644m ³

POWER BLITZZ

BT-AC300Y AIR COMPRESSORS



Specification



Tank	300L with belt
Power	4Hp / 3Kw
Cylinder	3065
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	105kg
CBM/Carton	0.860m ³

BT-AC500Y AIR COMPRESSORS



Specification



Tank	500L with belt
Power	10Hp / 7.5Kw
Cylinder	3090
Voltage	380V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	166kg
CBM/Carton	1.300m ³

BT-SAC25 AIR COMPRESSORS



Specification



Tank	25L with 1 Head
Power	0.75Hp / 0.55Kw
Cylinder	2064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	17kg
CBM/Carton	0.082m ³



POWER BLITZZ

BT-SAC50

AIR COMPRESSORS



Specification



Tank	50L with 1 Head
Power	0.75Hp / 0.55Kw
Cylinder	2064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	25kg
CBM/Carton	0.133m ³



BT-SAC50x2

AIR COMPRESSORS



Specification



Tank	50L with 2 Heads
Power	1.5Hp / 1.1Kw
Cylinder	4064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	25kg
CBM/Carton	0.133m ³

BT-SAC100

AIR COMPRESSORS



Specification



Tank	100L with 3 Heads
Power	2.2Hp / 1.65Kw
Cylinder	6064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	67kg
CBM/Carton	0.350m ³