

POWER BLITZZ

PRODUCT CATALOGUE

Cordless Tools | Drills & Hammers | Angle Grinders
Cutters & Saws | Other Tools | Pressure Washers
Welding Machines | Air Compressors



INDEX

CORDLESS TOOLS

DRILLS & HAMMERS

ANGLE GRINDERS

CUTTERS & SAWS

OTHER TOOLS

VIBRATORS

PRESSURE WASHERS

WELDING MACHINES

AIR COMPRESSORS

PUMPS


CUTTING DISCS

GRINDING DISCS

MEASURING TAPES

CARBON BRUSHES

**ARMATURES &
STATORS**



POWER BLITZZ

BT-CD12A CORDLESS DRILL



Specification



Voltage	12V
No Load Speed	0-350/1500r/min
Chuck Size	10mm
Battery	2pc

Packing

Pcs/Ctn	10pc
Net/Gross Weight	13.5/14.5kgs
Carton	485×350×230mm
CBM/Carton	0.108m ³

BT-CD18AT CORDLESS DRILL



Specification



Voltage	18V
No Load Speed	0-350/1250r/min
Chuck Size	10mm
Battery	2pc

Packing

Pcs/Ctn	10pc
Net/Gross Weight	27/28kgs
Carton	460x300x635mm
CBM/Carton	0.088m ³

BT-CD21AT CORDLESS DRILL



Specification



Voltage	21V
No Load Speed	0-350/1250r/min
Chuck Size	10mm
Battery	2pc×2.0Ah

Packing

Pcs/Ctn	10pc
Net/Gross Weight	27/28kgs
Carton	460x300x635mm
CBM/Carton	0.088m ³

BT-ID21AT CORDLESS IMPACT DRILL



Specification



Voltage	21V
No Load Speed	0-350/1250r/min
Chuck Size	10mm
Battery	2pc×2.0Ah

Packing

Pcs/Ctn	10pc
Net/Gross Weight	27/28kgs
Carton	460x300x635mm
CBM/Carton	0.088m ³

POWER BLITZZ

BT-CRH21

CORDLESS ROTARY HAMMER
BRUSHLESS



Specification



Voltage	21V
No Load Speed	0-960min
Chuck Size	20mm
Battery	2pc×4.0Ah
Max Bore diameter Concrete	20mm
Max Bore diameter Steel	12mm
Max Bore diameter Wood	28mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	20/21kgs
Carton	350×430×500mm
CBM/Carton	0.075m ³

BT-CIR21

CORDLESS IMPACT WRENCH
BRUSHLESS



Specification



Voltage	21V
No Load Speed	0-2500r/min
Standard bolt	M6-M16 1/4"-5/8"
Battery	2pc×3.0Ah
Maximum torque	350N.M
Impact frequency	0-3200bpm
Drive	1/2"

Packing

Pcs/Ctn	4pc
Net/Gross Weight	15/16kgs
Carton	452×365×310mm
CBM/Carton	0.051m ³

BT-CG115

CORDLESS ANGLE GRINDER
BRUSHLESS



Specification




Voltage	21V
Power	850W
Dia	115mm
Battery	2pcx3.0Ah

Packing

Pcs/Ctn	4pc
Net/Gross Weight	16/17kgs
Carton	565x410x330mm
CBM/Carton	0.076m ³

CORDLESS TOOLS



POWER BLITZZ

BT-CPW21A

CORDLESS PRESSURE WASHER



Specification



Voltage	21V
Working pressure	320PSI
Working flow	3.8L/min
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	13/14kg
Carton	365×560×280mm
CBM/Carton	0.057m ³

BT-CSB21

CORDLESS SMALL AIR BLOWER



Specification



Voltage	21V
No Load Speed	0-19000r/min
Air Volume	2.6m ³
Battery	2pc

Packing

Pcs/Ctn	4pc
Net/Gross Weight	8.2/9.2kgs
Carton	380x365x420mm
CBM/Carton	0.058m ³

BT-CBB21

CORDLESS BIG AIR BLOWER



Specification



Voltage	21V
Max Speed	66m/s
Air Flow Capacity	580ft ³ per min
Speed Adjust	3
Battery	2pcx2.0Ah

Packing

Pcs/Ctn	4pc
Net/Gross Weight	18/19kgs
Carton	535x410x585mm
CBM/Carton	0.128m ³

BT-CHG21

CORDLESS HEAT GUN



Specification



Voltage	21V
Temperature	350°C/550°C
Air Flow Volume	100-200L/min
Battery	2pcx2.0Ah

Packing

Pcs/Ctn	5pc
Net/Gross Weight	14.4/15.4kgs
Carton	460x320x300mm
CBM/Carton	0.044m ³

POWER BLITZZ

BT-CTV21

CORDLESS TILE VIBRATION MACHINE



Specification



Voltage	21V
Vibrating Frequency	3500-8500r/min
Switch	1-12 speeds
Sucker Diameter	123mm
Battery	2pcx2.0Ah

Packing

Pcs/Ctn	6pc
Net/Gross Weight	19.5/20.5kgs
Carton	530x420x530mm
CBM/Carton	0.118m ³

BT-CCS21

CORDLESS CHAIN SAW



Specification



Voltage	21V
No Load Speed	4000r/min
Chain Size	6 inch
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	15/16kgs
Carton	600x425x295mm
CBM/Carton	0.075m ³

BT-CPS21

CORDLESS PRUNING SHEARS

BRUSHLESS



Specification



Voltage	21V
Max Cutting Size	30mm
Battery	2pc

Packing

Pcs/Ctn	5pc
Net/Gross Weight	10/11kgs
Carton	465x340x265mm
CBM/Carton	0.041m ³

BT-CBC21

CORDLESS GRASS TRIMMER



Specification



Voltage	21V
No Load Speed	8000r/min
Blade Size	4inch
Battery	2pcx2.0Ah

Packing

Pcs/Ctn	4pc
Net/Gross Weight	13/14kgs
Carton	900x320x325mm
CBM/Carton	0.092m ³

POWER BLITZZ

BT-DM10 ELECTRIC DRILL



Specification

Input Power	450W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Bit Size	10mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	16/17kgs
Carton	580x430x270mm
CBM/Carton	0.067m ³

BT-DB13 IMPACT DRILL



Specification

Input Power	680W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Bit Size	13mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	20/21kgs
Carton	580x430x270mm
CBM/Carton	0.067m ³

BT-DB26 ROTARY HAMMER



Specification

Input Power	800W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-1300r/min
Bit Size	26mm

Packing

Pcs/Ctn	5pc
Net/Gross Weight	26/27kgs
Carton	545x445x335mm
CBM/Carton	0.081m ³



POWER BLITZZ

BT-DHM7

DEMOLITION HAMMER 7KGS



Specification



Input Power	900W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	2900r/min
Bit Size	17mm

Packing

Pcs/Ctn	2pc
Net/Gross Weight	21/23kgs
Carton	520x265x338mm
CBM/Carton	0.045m ³

BT-DHB11

DEMOLITION HAMMER 11KGS



Specification



Input Power	1500w
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	1000-2250r/min

Packing

Pcs/Ctn	1pc
Net/Gross Weight	14.3/14.8kgs
Carton	630x155x430mm
CBM/Carton	0.042m ³



BT-DHH16

DEMOLITION HAMMER 16KGS



Specification



Input Power	1400W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	1850r/min ⁻¹

Packing

Pcs/Ctn	1pc
Net/Gross Weight	16/17kg
Carton	710x170x290mm
CBM/Carton	0.035m ³

POWER BLITZZ

BT-GD100 ANGLE GRINDER



Specification

Input Power	850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	100mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	18/19kgs
Carton	605x445x345mm
CBM/Carton	0.093m ³

BT-GD115 ANGLE GRINDER



Specification

Input Power	850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	115mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	20/21kgs
Carton	605x445x345mm
CBM/Carton	0.093m ³

BT-GB125 ANGLE GRINDER



Specification

Input Power	900W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	115/125mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	20/24kgs
Carton	650x335x280mm
CBM/Carton	0.061m ³



POWER BLITZZ

BT-GH125 ANGLE GRINDER



Specification

Input Power	1000W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	125mm

Packing

Pcs/Ctn	6pc
Net/Gross Weight	16/17kgs
Carton	445x320x260mm
CBM/Carton	0.037m ³

BT-GM230 ANGLE GRINDER



Specification

Input Power	2200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	6500r/min
Disc Size	230mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	25.5/26.5kgs
Carton	589x390x255mm
CBM/Carton	0.059m ³



POWER BLITZZ

BT-MCH4 MARBLE CUTTER



Specification

Input Power	1300W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	11000r/min
Disc Size	110mm

Packing

Pcs/Ctn	6pc
Net/Gross Weight	20/21kgs
Carton	665x230x370mm
CBM/Carton	0.057m ³

BT-CSM7 CIRCULAR SAW



Specification

Input Power	1200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	5000r/min
Disc Size	185mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	16/17kgs
Carton	500x300x400mm
CBM/Carton	0.06m ³

BT-CSM9 CIRCULAR SAW



Specification

Input Power	2000W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	4100r/min
Chuck Size	235mm

Packing

Pcs/Ctn	2pc
Net/Gross Weight	14/15kgs
Carton	560x390x230mm
CBM/Carton	0.05m ³



POWER BLITZZ

BT-JSB65

JIG SAW



Specification



Input Power	400W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Max Cutting Wood	65mm
Max Cutting Aluminium	12mm
Max Cutting Steel	3mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	18/20kg
Carton	560x430x240mm
CBM/Carton	0.058m ³

BT-JSM85

JIG SAW



Specification



Input Power	550W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Max Cutting Wood	85mm
Max Cutting Steel	5mm

Packing

Pcs/Ctn	5pc
Net/Gross Weight	13/17kgs
Carton	470x370x280mm
CBM/Carton	0.049m ³

BT-RM6

ELECTRIC TRIMMER



Specification



Input Power	500W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	26000r/min
Collet Chuck Capacity	6.35mm-1/4"

Packing

Pcs/Ctn	10pc
Net/Gross Weight	17/19kgs
Carton	600x245x270mm
CBM/Carton	0.04m ³

BT-RM12

ELECTRIC ROUTER



Specification



Input Power	1600W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-26000r/min
Cutting Depth	12.7mm-1/2"

Packing

Pcs/Ctn	4pc
Net/Gross Weight	22/24kgs
Carton	600x425x260mm
CBM/Carton	0.066m ³

POWER BLITZZ

BT-MSM10 MITER SAW



Specification

Input Power	1850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	4600r/min
Disc Size	255mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	11/13kg
Carton	510x440x400mm
CBM/Carton	0.09m ³

BT-MSB10 MITER SAW



Specification

Input Power	1800W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	5500r/min
Disc Size	255mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	8.5/10kgs
Carton	513x370x385mm
CBM/Carton	0.073m ³

BT-COL14 CUT OFF SAW



Specification

Input Power	2600W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	3800r/min
Disc Size	355mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	16/17kgs
Carton	560x340x430mm
CBM/Carton	0.082m ³

BT-COB14 CUT OFF SAW



Specification

Input Power	2200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	3900r/min
Cutting Capacity	355mm

Packing

Pcs/Ctn	1pc
Net/Gross Weight	10.5/12.5kg
Carton	530x300x380mm
CBM/Carton	0.06m ³

POWER BLITZZ

BT-EPM7 ELECTRIC POLISHER



CE EAC   

Specification

Input Power	1200W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	0-3000r/min
Disc Diameter	180mm

Packing

Pcs/Ctn	4pc
Net/Gross Weight	13/14kgs
Carton	470x300x320mm
CBM/Carton	0.045m ³

BT-BL500S AIR BLOWER



CE EAC   

Specification

Input Power	450W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	13000r/min
Blowing Rate	2.3m ³ /min

Packing

Pcs/Ctn	8pc
Net/Gross Weight	11/12kgs
Carton	460x360x375mm
CBM/Carton	0.062m ³

BT-BL600 AIR BLOWER



CE EAC   

Specification

Input Power	600W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	13000r/min
Blowing Rate	2.8m ³ /min

Packing

Pcs/Ctn	6pc
Net/Gross Weight	11/12kgs
Carton	600x340x440mm
CBM/Carton	0.09m ³

BT-HG2000A HOT AIR GUN



CE EAC   

Specification

Input Power	2000W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	16500r/min
Air Temperature	Min 50°C Max 500°C
Air Output	235mm

Packing

Pcs/Ctn	20pc
Net/Gross Weight	14/15kgs
Carton	540x400x475mm
CBM/Carton	0.103m ³

POWER BLITZZ

BT-PM160 ELECTRIC MIXER



Specification

Input Power	800W
Voltage/Frequency	220/240V-50/60Hz
No Load Speed	680r/min

Packing

Pcs/Ctn	5pc
Net/Gross Weight	19.5/20.5kgs
Carton	620x350x340mm
CBM/Carton	0.074m ³



BT-OSM185 ORBITAL SANDER




Specification

Input Power	450W
Voltage/Frequency	220/240V-50/60Hz
No Load Speed	10000r/min
Size of Cushion	93x185mm

Packing

Pcs/Ctn	10pc
Net/Gross Weight	15.8/17.8kgs
Carton	550x300x340mm
CBM/Carton	0.056m ³



POWER BLITZZ

BT-VB850 CONCRETE VIBRATOR



Specification



Input Power	850W
Voltage/Frequency	220/240V~50/60Hz
No Load Speed	4000r/min
Shaft Size	35mm x 1.5mtr

Packing

Pcs/Ctn	10pc
Net/Gross Weight	21/23.3kgs
Carton	425x350x365mm
CBM/Carton	0.054m ³



BT-ZN90/1 ELECTRICAL CONCRETE VIBRATOR



Specification



Input Power	2.2Kw
Voltage	220/240V
No Load Speed	2840r/min
Current	13.5A

Packing

Pcs/Ctn	1pcs
Net/Gross Weight	10.5/11.5 kgs
Carton	370x280x300mm
CBM/Carton	0.031m ³

BT-ZN90/3 ELECTRICAL CONCRETE VIBRATOR



Specification



Input Power	2.2Kw
Voltage	380V
No Load Speed	2840r/min
Current	4.7A

Packing

Pcs/Ctn	1pcs
Net/Gross Weight	10.5/11.5 kgs
Carton	370x280x300mm
CBM/Carton	0.031m ³

POWER BLITZZ

BT-HS35x15

HANDHELD CONCRETE VIBRATOR SHAFT 35MM



Specification



Diameter	35mm
Length	1.5Mtr
Head Leng	400mm
Frequency	200Hz

Packing

Pcs/Ctn	10pcs
Net/Gross Weight	33/34 kgs
Carton	Wooven Bag
CBM/Carton	-

BT-JS38x6

CONCRETE VIBRATOR SHAFT 38MM



Specification



Diameter	38mm
Length	6Mtr
Head Leng	470mm
Frequency	200Hz

Packing

Pcs/Ctn	1pcs
Net/Gross Weight	12/13 kgs
Carton	750x750x55mm
CBM/Carton	0.031m ³

BT-JS50x6

CONCRETE VIBRATOR SHAFT 50MM



Specification



Diameter	50mm
Length	6Mtr
Head Leng	470mm
Frequency	200Hz

Packing

Pcs/Ctn	1pcs
Net/Gross Weight	13/14 kgs
Carton	750x750x55mm
CBM/Carton	0.031m ³



POWER BLITZZ

BT-PW185 PRESSURE WASHER



Specification

Input Power	1500W
Voltage	220/240V
Frequency	50/60Hz
Theoretical Pressure	100bar
Theoretical Flow	6.5L/min

Packing

Pcs/Ctn	2pcs
Net/Gross Weight	18/20kgs
Carton	420x380x255mm
CBM/Carton	0.041m ³

BT-PW300 (3P) PRESSURE WASHER



Specification

Voltage	380V
Input Power	3000W
Pressure	150bar

Packing

Pcs/Ctn	1pc
Net/Gross Weight	50/53kgs
Carton	770x360x430mm
CBM/Carton	0.119m ³



POWER BLITZZ

BT-MMA200 WELDING MACHINE



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current	20-120A
Max Input Current	23.2A
Max Output Current	120A
No Load Voltage	60V
Diameter of Electrode	1.6-3.2mm
Duty Cycle	120A@30%

Packing

Pcs/Ctn	2pc
Net/Gross Weight	9/10.8kgs
Carton	460x420x305mm
CBM/Carton	0.059m ³

BT- MMT250 WELDING MACHINE MMA / MAG / MIG / TIGLIFT



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current (MMA MIG)	20-140A 20-120A
Max Input Current	22.9A (MAG)
Max Output Current	140A
No Load Voltage	65V
Diameter of Electrode	1.6-3.2mm
Duty Cycle (MMA MIG)	140A@30% 140A@80%

Packing

Pcs/Ctn	2pcs
Net/Gross Weight	17.6/19.6kgs
Carton	500x450x370mm
CBM/Carton	0.083m ³

BT-MMA300 WELDING MACHINE



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current	20-160A
Max Input Current	30A
Max Output Current	160A
No Load Voltage	63V
Diameter of Electrode	1.6-4.0mm
Duty Cycle	160A@60%

Packing

Pcs/Ctn	1pc
Net/Gross Weight	3.9/5.6kgs
Carton	400x250x300mm
CBM/Carton	0.03m ³

BT-MMA400 WELDING MACHINE



Specification

Voltage	220V-240V
Frequency	50/60Hz
Output Current	20-200A
Max Input Current	40A
Max Output Current	200A
No Load Voltage	63V
Diameter of Electrode	1.6-5.0mm
Duty Cycle	200A@60%

Packing

Pcs/Ctn	1pc
Net/Gross Weight	5.6/7.1kgs
Carton	460x270x345mm
CBM/Carton	0.041m ³

POWER BLITZZ

BT-AC25 AIR COMPRESSOR



CE EAC

Specification

Tank	25L w/o belt
Power	2Hp / 1.5Kw
Cylinder	1042
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	17.5kg
CBM/Carton	0.087m ³

BT-AC50 AIR COMPRESSOR



CE EAC

Specification

Tank	50L w/o belt
Power	2Hp / 1.5Kw
Cylinder	1042
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	26kg
CBM/Carton	0.140m ³

BT-AC50Y1 AIR COMPRESSOR



CE EAC

Specification

Tank	50L with belt
Power	1Hp / 0.75Kw
Cylinder	1051
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	26kg
CBM/Carton	0.140m ³

BT-AC50Y2 AIR COMPRESSOR



CE EAC

Specification

Tank	50L with belt
Power	2Hp / 1.5Kw
Cylinder	2051
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	26kg
CBM/Carton	0.140m ³

POWER BLITZZ

BT-AC100 AIR COMPRESSOR



CE EAC    

Specification

Tank	100L with belt
Power	3Hp / 2.2Kw
Cylinder	2065
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	38kg
CBM/Carton	0.216m ³

BT-AC100Y AIR COMPRESSOR



CE EAC    

Specification

Tank	100L with belt
Power	2Hp / 1.5Kw
Cylinder	2051
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	38kg
CBM/Carton	0.216m ³

BT-AC200 AIR COMPRESSOR



CE EAC    

Specification

Tank	200L with belt
Power	3Hp / 2.2Kw
Cylinder	2065
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	85kg
CBM/Carton	0.644m ³

BT-AC200Y AIR COMPRESSOR



CE EAC    

Specification

Tank	200L with belt
Power	3Hp / 2.2Kw
Cylinder	2065
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	17.5kg
CBM/Carton	0.644m ³

POWER BLITZZ

BT-AC300 AIR COMPRESSOR



Specification

Tank	300L with belt
Power	4Hp / 3Kw
Cylinder	2070
Voltage	230V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	105kgs
CBM/Carton	0.830m ³

BT-AC300Y AIR COMPRESSOR



Specification

Tank	300L with belt
Power	4Hp / 3Kw
Cylinder	3065
Voltage	230V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	105kgs
CBM/Carton	0.860m ³

BT-AC500 AIR COMPRESSOR



Specification

Tank	500L with belt
Power	5.5Hp / 4Kw
Cylinder	2090
Voltage	380V
Model	Italy type

Packing

Pcs/Ctn	1pc
Gross Weight	180kgs
CBM/Carton	1.500m ³

BT-AC500Y AIR COMPRESSOR



Specification

Tank	500L with belt
Power	10Hp / 7.5Kw
Cylinder	3090
Voltage	380V
Model	Y type

Packing

Pcs/Ctn	1pc
Gross Weight	180kgs
CBM/Carton	1.500m ³

POWER BLITZZ

BT-SAC25

SILENT AIR COMPRESSOR



Specification



Tank	25L with 1 Head
Power	0.75Hp / 0.55Kw
Cylinder	2064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	17kg
CBM/Carton	0.082m ³

BT-SAC50

SILENT AIR COMPRESSOR



Specification



Tank	50L with 1 Head
Power	0.75Hp / 0.55Kw
Cylinder	2064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	25kg
CBM/Carton	0.133m ³



BT-SAC50x2

SILENT AIR COMPRESSOR



Specification



Tank	50L with 2 Heads
Power	1.5Hp / 1.1Kw
Cylinder	4064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	25kg
CBM/Carton	0.133m ³

POWER BLITZZ

BT-SAC100

SILENT AIR COMPRESSOR



Specification



Tank	100L with 3 Heads
Power	2.2Hp / 1.65Kw
Cylinder	6064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	67kgs
CBM/Carton	0.350m ³

BT-SAC200

SILENT AIR COMPRESSOR WITH LED CONTROLLER




Specification



Tank	200L with 4 Heads
Power	3 Hp / 2.2Kw
Cylinder	8064
Voltage	230V

Packing

Pcs/Ctn	1pc
Gross Weight	98kgs
CBM/Carton	0.460m ³



POWER BLITZZ

Surface Peripheral Pump



Specification



MODEL NO.	BT-QB60A	BT-QB70A
Voltage	220V	220V
Frequency	50Hz	50Hz
Power	0.5HP/370W	0.75HP/550W
Speed	2850 RPM	2850 RPM
H.Max	35M	48M

Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Motor

- Single Phase: 220-240V/50Hz
- Three Phase: 380-415V/50Hz

Operating Conditions

- Highest Temperature Of Liquid +40°C
- Maximum sand content: 0.25%

Surface Centrifugal Pump



Specification



MODEL NO.	BT-CPM130	BT-CPM146	BT-CPM158
Voltage	220V	220V	220V
Frequency	50Hz	50Hz	50Hz
Power	0.5HP/370W	0.75HP/550W	1HP/750W
Speed	2850 RPM	2850 RPM	2850 RPM
H.Max	22M	28M	32M

Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Motor

- Single Phase: 220-240V/50Hz
- Three Phase: 380-415V/50Hz

Operating Conditions

- Highest Temperature Of Liquid +40°C
- Maximum sand content: 0.25%

POWER BLITZZ

Surface Jet Pump



Specification



MODEL NO.	BT-JET550L	BT-JET750L
Voltage	220V	220V
Frequency	50Hz	50Hz
Power	0.75HP/550W	1HP/750W
Speed	2850 RPM	2850 RPM
H.Max	44M	50M

Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Motor

- Single Phase: 220-240V/50Hz
- Three Phase: 380-415V/50Hz

Operating Conditions

- Highest Temperature Of Liquid +40°C
- Maximum sand content: 0.25%

Submersible Pump



Specification



MODEL NO.	BT-QDX1.5/16	BT-QDX3/20	BT-QDX1.5/32
Voltage	220V	220V	220V
Frequency	50Hz	50Hz	50Hz
Power	370W	550W	750W
Flow	1.5m³/h	3m³/h	1.5m³/h
H.Max	16M	20M	32M
Outlet	25mm	25mm	25mm

MODEL NO.	BT-QDX3/30	BT-QDX15/18
Voltage	220V	220V
Frequency	50Hz	50Hz
Power	1100W	1500W
Flow	3m³/h	15m³/h
H.Max	30M	18M
Outlet	25mm	25mm

Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Condition Of Usage

- Continuous Service
- The maximum Immersion: 5m
- Protection Grade: IP 68
- Highest Temperature of Liquid: 40°C

POWER BLITZZ

Submersible Sewage Pump



Specification



MODEL NO.	BT-WQD/V370	BT-WQD/V450	BT-WQD/V750	BT-WQD/V1100
Voltage	220V	220V	220V	220V
Frequency	50Hz	50Hz	50Hz	50Hz
Power	370W	370W	750W	1100W
Flow	5m ³ /h	5m ³ /h	10m ³ /h	16m ³ /h
H.Max	8.5M	10M	12M	9M
Outlet	40mm/32mm	50mm/40mm	50mm/40mm	50mm/40mm

Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Condition Of Usage

- Continuous Service
- The maximum Immersion: 5m
- Protection Grade: IP 68
- Highest Temperature of Liquid: 40°C

Solar SS Deep Well Pump



Specification



MODEL NO.	BT-3SPC4.8/110 /72/1100	BT-3SPC4.8/130 /110/1500	BT-4SPC5/101/7 2/1100
Voltage	72V	110V	72V
Power	1100W	1500W	1100W
Speed	4800 RPM	4800 RPM	5000 RPM
H.Max	110M	130M	101M

MODEL NO.	BT-4SPC5/146/1 10/1300	BT-4SPC5/225/2 20/2200/AD
Voltage	110V	220V
Power	1300W	2200W
Speed	5000 RPM	5000 RPM
H.Max	146M	255M

Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Motor

- Continuous Service
- Power:0.15~0.55kW (Single Phase)
- Power:0.15~0.55kW (Three Phase)
- Insulation Class: B
- Protection Grade: IP 68
- Minimum Well Diameter: Ø2" & Ø2.5"
- Highest Temperature of Liquid: 40°C

POWER BLITZZ

SS Deep Well Pump



Typical Applications

- Water Supply System
- Booster
- Garden & Farm Irrigation
- Lowering Underground Water Level
- Various Industrial Applications

Motor

- Continuous Service
- Power:0.25~2.6kW (Single Phase)
- Power:0.25~7.5kW (Three Phase)
- Insulation Class: B
- Protection Grade: IP 68
- Minimum Well Diameter: Ø4"
- Highest Temperature of Liquid: 40°C
- Adopted the NEMA standard

Specification



MODEL NO.	BT-4SDM2/8	BT- 4SDM2/11	BT- 4SDM2/14	BT-4SDM4/5	BT-4SDM4/7
Voltage	220V	220V	220V	220V	220V
Frequency	50Hz	50Hz	50Hz	50Hz	50Hz
Power	0.5HP/370W	0.75HP/550W	1HP/750W	0.5HP/370W	0.75HP/550W
Speed	2850 RPM	2850 RPM	2850 RPM	2850 RPM	2850 RPM
H.Max	56M	77M	98M	35M	50M

MODEL NO.	BT- 4SDM4/10	BT- 4SDM4/14	BT- 4SDM4/18	BT- 4SDM4/22	BT- 4SDM4/26
Voltage	220V	220V	220V	220V	220V
Frequency	50Hz	50Hz	50Hz	50Hz	50Hz
Power	1HP/750W	1.5HP/1100W	2HP/1500W	3HP/2200W	3HP/2200W
Speed	2850 RPM	2850 RPM	2850 RPM	2850 RPM	2850 RPM
H.Max	71M	99M	127M	156M	184M

POWER BLITZZ

BT-ACD401

METAL CUTTING DISC 4" X 1.2MM



Specification



Diameter	107mm (4")
Thickness	1.2mm (3/64")
Bore	16mm (5/8")
Max Speed	15300rpm

Packing

Pcs/Ctn	800pcs
Net/Gross Weight	20/21kgs
Carton	480x250x195mm
CBM/Carton	0.023m ³

BT-ACD451

METAL CUTTING DISC 4.5" X 1.2MM



Specification



Diameter	115mm (4.5")
Thickness	1.2mm (3/64")
Bore	22.2mm (7/8")
Max Speed	13300rpm

Packing

Pcs/Ctn	400pcs
Net/Gross Weight	11/12kgs
Carton	260x260x195mm
CBM/Carton	0.013m ³

BT-ACD501

METAL CUTTING DISC 5" X 1.2MM



Specification



Diameter	125mm (5")
Thickness	1.2mm (3/64")
Bore	22.2mm (7/8")
Max Speed	12300rpm

Packing

Pcs/Ctn	400pcs
Net/Gross Weight	14/15kgs
Carton	290x290x195mm
CBM/Carton	0.016m ³

BT-ACD701

METAL CUTTING DISC 7" X 1.6MM



Specification



Diameter	180mm (7")
Thickness	1.6mm (1/16")
Bore	22.2mm (7/8")
Max Speed	8500rpm

Packing

Pcs/Ctn	200pcs
Net/Gross Weight	17/18.5kgs
Carton	380x210x200mm
CBM/Carton	0.016m ³

POWER BLITZZ

BT-ACD903

METAL CUTTING DISC 9" X 3.0MM



Specification



Diameter	230mm (9")
Thickness	3.0mm (1/8")
Bore	22.2mm (7/8")
Max Speed	6500rpm

Packing

Pcs/Ctn	100pcs
Net/Gross Weight	26/28kgs
Carton	440x245x250mm
CBM/Carton	0.027m ³

BT-ACD1403

METAL CUTTING DISC 14" X 3.0 MM



Specification



Diameter	355mm (14")
Thickness	3.0mm (1/8")
Bore	25.4mm (1")
Max Speed	4400rpm

Packing

Pcs/Ctn	25pcs
Net/Gross Weight	15/16kgs
Carton	365x85x365mm
CBM/Carton	0.011m ³

BT-AGD406

METAL GRINDING DISC 4" X 6.0MM



Specification



Diameter	100mm (4")
Thickness	6.0mm (1/4")
Bore	16mm (5/8")
Max Speed	15300rpm

Packing

Pcs/Ctn	200pcs
Net/Gross Weight	21/22kgs
Carton	375x215x225mm
CBM/Carton	0.018m ³



POWER BLITZZ

BT-AGD456

METAL GRINDING DISC 4.5" X 6.0MM



Specification

Diameter	115mm (4.5")
Thickness	6.0mm (1/4")
Bore	22.2mm (7/8")
Max Speed	13300rpm

Packing

Pcs/Ctn	100pcs
Net/Gross Weight	14/15kgs
Carton	380x245x135mm
CBM/Carton	0.013m ³



BT-AGD506

METAL GRINDING DISC 5" X 6.0MM



Specification

Diameter	125mm (5")
Thickness	6.0mm (1/4")
Bore	22.2mm (7/8")
Max Speed	12300rpm

Packing

Pcs/Ctn	100pcs
Net/Gross Weight	15.5/16.5kgs
Carton	400x260x145mm
CBM/Carton	0.015m ³



BT-AGD706

METAL GRINDING DISC 7" X 6.0MM



Specification

Diameter	180mm (7")
Thickness	6.0mm (1/4")
Bore	22.2mm (7/8")
Max Speed	8500rpm

Packing

Pcs/Ctn	50pcs
Net/Gross Weight	16/17 kgs
Carton	400x190x200mm
CBM/Carton	0.015m ³



POWER BLITZZ

BT-HMT319B MEASURING TAPE 3M



Description

- Metric & Inch Graduations
- Auto hold function
- Shock proof
- Thick blade

Specification



Length	3Mtr (10ft)
Width	19mm

Packing

Pcs/Ctn	180pcs
Net/Gross Weight	20/21kgs
Carton	400x200x420mm
CBM/Carton	0.034m ³

BT-HMT519B MEASURING TAPE 5M



Description

- Metric & Inch Graduations
- Auto hold function
- Shock proof
- Thick blade

Specification



Length	5Mtr (16ft)
Width	19mm

Packing

Pcs/Ctn	180pcs
Net/Gross Weight	28/29kgs
Carton	400x200x420mm
CBM/Carton	0.034m ³

BT-HMT725B MEASURING TAPE 7.5M



Description

- Metric & Inch Graduations
- Auto hold function
- Shock proof
- Thick blade

Specification



Length	7.5Mtr (25ft)
Width	25mm

Packing

Pcs/Ctn	120pc
Net/Gross Weight	36/37kgs
Carton	480x260x360mm
CBM/Carton	0.045m ³



POWER BLITZZ

Carbon Brushes

CB-BK20



Packing

Suitable	Dewalt DW 801
Pcs/Ctn	1000pc

CB-BK45



Packing

Suitable	Dewalt DW 24890
Pcs/Ctn	1000pc

CB-100



Packing

Suitable	Makita HM 0810
Pcs/Ctn	1000pc

CB-153



Packing

Suitable	Makita HM 1204
Pcs/Ctn	1000pc

CB-155



Packing

Suitable	Makita 2414NB
Pcs/Ctn	1000pc

CB-204



Packing

Suitable	Makita GA 7020/9020
Pcs/Ctn	1000pc

CB-303



Packing

Suitable	Makita HS 7010
Pcs/Ctn	1000pc

CB-325



Packing

Suitable	Makita 9553/9554
Pcs/Ctn	1000pc


CB-419



Packing

Suitable for	Makita HR 2020
Pcs/Ctn	1000pc

CB-44



Packing

Suitable for	Hitachi PH65A
Pcs/Ctn	1000pc

CB-64



Packing

Suitable for	Makita 6413
Pcs/Ctn	1000pc

CB-A96



Packing

Suitable for	Bosch 2-26
Pcs/Ctn	1000pc

CB-H43



Packing

Suitable	Bosch GWS 20-180
Pcs/Ctn	1000pc



POWER BLITZZ

Armatures & Stators

PBA-2450



Packing

Suitable	Makita 2450
Pcs/Ctn	40Pcs

PBA-4304



Packing

Suitable	Makita 4304
Pcs/Ctn	40Pcs

PBA-3709



Packing

Suitable	Makita 3709
Pcs/Ctn	40Pcs

PBA-5704



Packing

Suitable	Makita 5704R
Pcs/Ctn	40Pcs

PBA-9556



Packing

Suitable	Makita 9556/9557
Pcs/Ctn	40Pcs

PBA-N5900B(7T)



Packing

Suitable	Makita N5900B(7T)
Pcs/Ctn	40Pcs

PBA-9554



Packing

Suitable	Makita 9553/9554
Pcs/Ctn	40Pcs

PBA-810



Packing

Suitable	Makita HM0810
Pcs/Ctn	40Pcs

PBA-5900(235)



Packing

Suitable	Makita 5900B(235)
Pcs/Ctn	20Pcs

PBA-3612



Packing

Suitable	Makita 3612BR
Pcs/Ctn	20Pcs

PBA-1040



Packing

Suitable	Makita LS1040
Pcs/Ctn	20Pcs

PBA-2414



Packing

Suitable	Makita 2414NB
Pcs/Ctn	20Pcs

PBA-7600



Packing

Suitable	Makita 7600
Pcs/Ctn	20Pcs

PBA-9020



Packing

Suitable	Makita GA 7020/9020
Pcs/Ctn	20Pcs

PBA-9067



Packing

Suitable	Makita 9067
Pcs/Ctn	20Pcs

PBA-9227



Packing

Suitable	Makita 9227C
Pcs/Ctn	20Pcs

POWER BLITZZ

Armatures & Stators

PBA-8-125



Packing

Suitable	Bosch GWS 8-125
Pcs/Ctn	40Pcs

PBA-13RE



Packing

Suitable	Bosch GSB 13RE
Pcs/Ctn	40Pcs

PBA-2-26



Packing

Suitable	Bosch 2-26
Pcs/Ctn	40Pcs

PBA-GST65E



Packing

Suitable	Bosch GST65E
Pcs/Ctn	40Pcs

PBA-20-180



Packing

Suitable	Bosch GWS 20-180
Pcs/Ctn	20Pcs

PBA-24-180



Packing

Suitable	Bosch GWS 24-180
Pcs/Ctn	20Pcs

PBA-4SB



Packing

Suitable	Hitachi CM4SB
Pcs/Ctn	40Pcs

PBA-65A



Packing

Suitable	Hitachi PH 65A
Pcs/Ctn	20Pcs

PBA-18SE2



Packing

Suitable	Hitachi G18SE2
Pcs/Ctn	20Pcs

PBA-801



Packing

Suitable	Dewalt DW 803/801
Pcs/Ctn	40Pcs


PBA-160M



Packing

Suitable	DCA AQU160
Pcs/Ctn	40Pcs





POWER **BLITZZ**

